

Table 1.11A (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	41,417	41,381	9,334	9,011	9,868	10,333	22,215	22,038	187,856 ^b	191,244
AGE										
18-25	6,151	6,356	1,334	1,296	1,667	1,663	3,151 ^a	3,398	27,921	27,946
26-49	20,648	19,936	5,132	4,951	4,878	5,228	10,638 ^a	9,757	77,918	78,097
50 or Older	14,618	15,089	2,868	2,764	3,323	3,442	8,426	8,883	82,016 ^b	85,202
GENDER										
Male	16,461	15,895	3,351	3,218	3,693	3,644	9,417	9,033	94,508 ^a	95,964
Female	24,956	25,486	5,983	5,793	6,175	6,689	12,798	13,005	93,347 ^b	95,280
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	36,580	36,793	8,304	8,163	8,589	9,220	19,687	19,410	160,834	161,853
White	29,704	29,552	6,743	6,899	7,216	7,358	15,745	15,295	126,254	125,694
Black or African American	4,520	4,364	1,028 ^a	743	946	953	2,545	2,668	22,150	22,380
American Indian or Alaska Native	187 ^a	357	87	126	25 ^a	100	75	131	888	934
Native Hawaiian or Other Pacific Islander	*	*	*	*	20	47	*	*	*	*
Asian	1,425	1,473	232	214	242 ^a	498	952	760	8,973	9,749
Two or More Races	584	847	196	151	140	263	248 ^a	433	2,068	2,432
Hispanic or Latino	4,837	4,589	1,030	848	1,279	1,113	2,528	2,628	27,021 ^b	29,391
CURRENT EMPLOYMENT										
Full-Time	17,465	16,838	3,499	3,099	4,134	4,469	9,832	9,270	96,767	98,889
Part-Time	6,205	6,523	1,357	1,497	1,450	1,495	3,398	3,532	26,934	25,914
Unemployed	3,367	3,181	926	737	870	842	1,571	1,603	11,442 ^a	10,416
Other ¹	14,380	14,839	3,551	3,679	3,413	3,527	7,415	7,634	52,713 ^a	56,025

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories.

Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.11B (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	18.1	17.8	4.1	3.9	4.3	4.4	9.7	9.5	81.9	82.2
AGE										
18-25	18.1	18.5	3.9	3.8	4.9	4.8	9.2	9.9	81.9	81.5
26-49	20.9	20.3	5.2	5.0	4.9	5.3	10.8	10.0	79.1	79.7
50 or Older	15.1	15.0	3.0	2.8	3.4	3.4	8.7	8.9	84.9	85.0
GENDER										
Male	14.8	14.2	3.0	2.9	3.3	3.3	8.5	8.1	85.2	85.8
Female	21.1	21.1	5.1	4.8	5.2	5.5	10.8	10.8	78.9	78.9
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	18.5	18.5	4.2	4.1	4.4	4.6	10.0	9.8	81.5	81.5
White	19.0	19.0	4.3	4.4	4.6	4.7	10.1	9.9	81.0	81.0
Black or African American	16.9	16.3	3.9 ^a	2.8	3.5	3.6	9.5	10.0	83.1	83.7
American Indian or Alaska Native	17.4 ^a	27.7	8.1	9.8	2.3 ^a	7.7	7.0	10.2	82.6 ^a	72.3
Native Hawaiian or Other Pacific Islander	*	*	*	*	3.1	5.5	*	*	*	*
Asian	13.7	13.1	2.2	1.9	2.3 ^a	4.4	9.2	6.8	86.3	86.9
Two or More Races	22.0	25.8	7.4	4.6	5.3	8.0	9.3	13.2	78.0	74.2
Hispanic or Latino	15.2	13.5	3.2	2.5	4.0	3.3	7.9	7.7	84.8	86.5
CURRENT EMPLOYMENT										
Full-Time	15.3	14.5	3.1	2.7	3.6	3.9	8.6	8.0	84.7	85.5
Part-Time	18.7	20.1	4.1	4.6	4.4	4.6	10.3	10.9	81.3	79.9
Unemployed	22.7	23.4	6.3	5.4	5.9	6.2	10.6	11.8	77.3	76.6
Other ¹	21.4	20.9	5.3	5.2	5.1	5.0	11.1	10.8	78.6	79.1

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.12A (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic/Socioeconomic Characteristic	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	41,417	41,381	9,334	9,011	9,868	10,333	22,215	22,038	187,856 ^b	191,244
GEOGRAPHIC REGION										
Northeast	7,890 ^a	6,966	1,651	1,436	1,904	1,705	4,336	3,826	34,410 ^b	35,647
Midwest	9,369	9,020	2,276	2,109	2,013	2,255	5,079	4,655	40,642	41,222
South	14,656	15,362	3,113	3,108	3,654	3,998	7,889	8,256	69,350 ^a	70,563
West	9,502	10,033	2,293	2,357	2,297	2,375	4,911	5,300	43,454	43,811
COUNTY TYPE										
Large Metro	21,449	20,781	4,700	4,153	5,013	5,115	11,735	11,514	101,224	102,726
Small Metro	13,127	13,668	2,972	3,268	3,171	3,551	6,984	6,849	56,806	59,093
250K – 1 Mil. Pop.	8,874	9,045	2,091	2,092	2,104	2,444	4,679	4,510	37,578	40,090
< 250K Pop.	4,252	4,623	880 ^a	1,176	1,067	1,107	2,305	2,340	19,228	19,003
Nonmetro	6,842	6,932	1,662	1,590	1,684	1,667	3,496	3,675	29,826	29,425
Urbanized	2,963	2,986	758	686	768	648	1,436	1,652	12,589	12,118
Less Urbanized	3,305	3,318	700	765	790	839	1,815	1,714	14,404	14,090
Completely Rural	574	628	203	138	126	180	245	309	2,832	3,217
POVERTY LEVEL¹										
Less Than 100%	7,323 ^a	8,428	2,075	2,481	1,736	2,092	3,512	3,855	22,341 ^a	24,274
100-199%	9,756	9,813	2,242	2,199	2,504	2,444	5,010	5,169	37,841	37,988
200% or More	24,187	23,005	4,987 ^a	4,293	5,591	5,759	13,610	12,953	126,884	128,167
GOVERNMENT ASSISTANCE²										
Yes	10,905 ^b	12,505	3,093	3,501	2,811	3,117	5,001 ^a	5,887	29,348 ^b	32,346
No	30,512	28,876	6,240	5,509	7,058	7,216	17,214	16,151	158,507	158,898
HEALTH INSURANCE³										
Private	23,693	22,565	4,765 ^a	3,967	5,489	5,912	13,438	12,687	127,123	129,242
Medicaid/CHIP ⁴	6,084	6,664	1,694	2,033	1,531	1,490	2,859	3,141	15,050 ^a	16,592
Other ⁵	9,815	9,727	2,204	1,941	2,004	2,050	5,607	5,737	44,401	46,057
No Coverage	7,863	8,095	1,909	1,972	1,929	2,125	4,026	3,998	30,704	29,854

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.12B (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Percentages, 2010 and 2011

Geographic/Socioeconomic Characteristic	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	18.1	17.8	4.1	3.9	4.3	4.4	9.7	9.5	81.9	82.2
GEOGRAPHIC REGION										
Northeast	18.7 ^a	16.3	3.9	3.4	4.5	4.0	10.2	9.0	81.3 ^a	83.7
Midwest	18.7	18.0	4.6	4.2	4.0	4.5	10.2	9.3	81.3	82.0
South	17.4	17.9	3.7	3.6	4.3	4.7	9.4	9.6	82.6	82.1
West	17.9	18.6	4.3	4.4	4.3	4.4	9.3	9.8	82.1	81.4
COUNTY TYPE										
Large Metro	17.5	16.8	3.8	3.4	4.1	4.1	9.6	9.3	82.5	83.2
Small Metro	18.8	18.8	4.2	4.5	4.5	4.9	10.0	9.4	81.2	81.2
250K – 1 Mil. Pop.	19.1	18.4	4.5	4.3	4.5	5.0	10.1	9.2	80.9	81.6
< 250K Pop.	18.1	19.6	3.7 ^a	5.0	4.5	4.7	9.8	9.9	81.9	80.4
Nonmetro	18.7	19.1	4.5	4.4	4.6	4.6	9.5	10.1	81.3	80.9
Urbanized	19.1	19.8	4.9	4.5	4.9	4.3	9.2	10.9	80.9	80.2
Less Urbanized	18.7	19.1	4.0	4.4	4.5	4.8	10.2	9.8	81.3	80.9
Completely Rural	16.9	16.3	6.0	3.6	3.7	4.7	7.2	8.0	83.1	83.7
POVERTY LEVEL¹										
Less Than 100%	24.7	25.8	7.0	7.6	5.9	6.4	11.8	11.8	75.3	74.2
100-199%	20.5	20.5	4.7	4.6	5.3	5.1	10.5	10.8	79.5	79.5
200% or More	16.0	15.2	3.3 ^a	2.8	3.7	3.8	9.0	8.6	84.0	84.8
GOVERNMENT ASSISTANCE²										
Yes	27.1	27.9	7.7	7.8	7.0	6.9	12.4	13.1	72.9	72.1
No	16.1	15.4	3.3	2.9	3.7	3.8	9.1	8.6	83.9	84.6
HEALTH INSURANCE³										
Private	15.7	14.9	3.2 ^b	2.6	3.6	3.9	8.9	8.4	84.3	85.1
Medicaid/CHIP ⁴	28.8	28.7	8.0	8.7	7.2	6.4	13.5	13.5	71.2	71.3
Other ⁵	18.1	17.4	4.1	3.5	3.7	3.7	10.3	10.3	81.9	82.6
No Coverage	20.4	21.3	4.9	5.2	5.0	5.6	10.4	10.5	79.6	78.7

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.